ASBESTOS TEM LABORATORIES CHAIN OF CUSTODY – *www.asbestostemlabs.com*

CALIFORNIA: 600 Bancroft Way, Ste. A, Berkeley, CA 94710 Phone (510) 704-8930 Fax (510) 704-8429
NEVADA: 1350 Freeport Blvd. #104, Sparks, NV 89431 Phone (775) 359-3377 Fax (775) 359-2798

Please print and send completed CoC with your samples. If you wish to email CoC, send the form as an attachment to Berkeley <coc@asbestostemlabs.com > or Reno <sehrlich@asbestostemlabs.com>.

CLEAR FORM

Company:	*Contact:*	*Phone/Fax:*	*Email:*
Address:	*City:*	*State:* *Zip:*	*Country:* United States
Job Site:		*Job No:*	*P.O. No:*

Reporting	☐ Fax	☐ Phone	☐ Email	☐ Mail	☐ FTP	☐ EDD/State Form	☐ Verbal	☐ Pickup	**Billing**	☐ Fax	☐ Email	☐ Mail	☐ Pre-Paid	☐ 3rd Party

Results Due:*	☐ 2 hr	☐ 4 hr	☐ 6 hr	☐ 8 hr	☐ 24 hr	☐ 48 hr	☐ 3 day	☐ 4 day	☐ 5 day	☐ 10 day	☐ Time due:_____	* Contact lab to confirm TAT		
Asbestos Air	☐ PCM (NIOSH 7400A	☐ TEM AHERA	☐ TEM CARB Mod. AHERA	☐ TEM EPA Yamate Level	☐ TEM NIOSH 7402, Issue 2	☐ ISO 10312	☐ ISO 13794							
Asbestos Bulk	☐ PLM Standard (EPA 600/R-93-1	☐ PLM 400 PC	☐ PLM 1000 PC	☐ PLM 400 PC Grav. Red.	☐ PLM 1000 PC Grav. Red.	☐ TEM EPA Qualitative	☐ TEM EPA Quantitatve							
	☐ TEM Chatfield (Semi-Quant)	☐ PLM Vermiculite Attic Insulation	☐ **Custom Analysis:** Type:											
Asbestos Soils	☐ CARB 435 Prep Only	☐ CARB 435 PLM 400 PC	☐ CARB 435 PLM 1000 PC	☐ EPA Soil Screening Qualitative	☐ TEM EPA/CARB Quantitative									
Asbestos Dust	☐ ASTM D-5755 Fiber Count	☐ ASTM D-5756 Wt. %	☐ ASTM D-5756 Mass	☐ ASTM D-6840-99 Dust Wipe	☐ Total Particulates (Grav.)									
Asbestos Water	☐ 100.2 Potable Drinking Water	☐ 100.1 Non Potable Water												
Lead	☐ Paint Chips	☐ Dust Wipe	☐ Air Cassette	☐ Soil	**Lead Waste Characterization:**	☐ TTLC	☐ STLC	☐ TCLP						
Sample Storage	*☐ No Test, Hold Sample Until: _____	*☐ Post Test, Hold Sample Until:_____												
Custom Order	☐ Reanalysis by:_____	☐ Sensitivity: _____	☐ Composite	☐ Other:										

Sample #	**Sample Type**	**Date Collected**	**Time On**	**Time Off**	**Total Time (min)**	**Flow Rate (lpm)**			**Volume or Area Sampled**	**8 Hour TWA Requested**	**Description**
						On	**Off**	**Average**			
										☐	
										☐	
										☐	
										☐	
										☐	
										☐	
										☐	
										☐	
										☐	
										☐	
										☐	
										☐	
										☐	
										☐	

Submitted By	**Received By**
Date/Time Submitted	**Date/Time Received**
Submitted By	**Received By**
Date/Time Submitted	**Date/Time Received**

*All samples will be held for 3 months from the date of receipt at ATEM. Additional sample storage time may be obtained through ATEM Customer Service